


Tel : +33 (0) 4.38.02.36.50 contact@promise-proteomics.com www.promise-proteomics.com



Product description

AFLIBERCEPT: used to treat wet macular degeneration and metastatic colorectal cancer. It is an inhibitor of vascular endothelial growth factor (VEGF).

Protein sequence

>Aflibercept

Key features

SDTGRPFVEMYSEIPEIIHMTEGRELVIPCRVTSPNITVTLKKFPLDTLIPDGKRIIWDSRKGFIISNATYKEIGLLTCEAT VNGHLYKTNYLTHRQTNTIIDVVLSPSHGIELSVGEKLVLNCTARTELNVGIDFNWEYPSSKHQHKKLVNRDLKTQS GSEMKKFLSTLTIDGVTRSDQGLYTCAASSGLMTKKNSTFVRVHEKDKTHTCPPCPAPELLGGPSVFLFPPKPKDTL MISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSN KALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGS FFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG

Product features and protocols

1	Purity	>95% as determined by SDS-PAGE
2	Labelling	Arg- ¹³ C ₆ , ¹⁵ N ₄ Lys- ¹³ C ₆ , ¹⁵ N ₂
3	Isotopic incorporation	>99% as determined by LC-MS/MS analysis of digested SIL-mAb

Other features

Expression System	CHO cell line
Protein content	Quantitation is carried out by UV Absorbance at 280 nm
Formulation	10 mM sodium phosphate 40 mM sodium chloride 0.03% polysorbate 20 5% sucrose pH 6.2

Product preparation

For product preparation we recommend the following steps:

- 1. Briefly centrifuge the tube before opening
- Reconstitute by adding the appropriate volume of ultrapure water for a final concentration of 200 μg/ml (e.g. 50 μl for 10 μg or 250 μl for 50 μg)
- 3. Vortex gently to insure complete dissolution
- 4. Wait 15 minutes at Room temperature before proceeding further
- 5. Vortex gently again and centrifuge briefly

Product storage

The product is lyophilized and shipped at room temperature. **Store at -80 °C upon receipt.**

After reconstitution, the protein can be preserved at 4° C for a few weeks.

Avoid multiple freeze-thaw cycles

PROMISE Proteomics SAS, BHT 52A 7, parvis Louis Néel – CS20050 38040 Grenoble Cedex 9 – France



How to use our product


6

SIL mAbs allow to overcome the process variability since they are added at the very beginning of a sample preparation. This has positive impact on your analyte quantification, especially if the analyte interacts with other species commonly present within the matricx (1).


References

1. G.Picard, D. Lebert, et al. PSAQ standards for accurate MS-based quantification of proteins: from the concept to biomedical applications, J.

Mass Spectrom. 2012, 47, 1353-1363



Supporting information



SDS-PAGE gel analysis of **AFLIBERCEPT** protein in non-reducing/ non heated conditions (NR/NH) Stained with Coomassie blue

The product is intended for research use only. Not for diagnostic or therapeutic use.

Legal

This product is licensed under U.S. Patent No. 7,396,688 and foreign counterparts from E. I. du Pont de Nemours and Company. The purchase of this product conveys to the buyer the nontransferable right to use the purchased amount of the product for research and development only. Information about licenses for other uses is available from: E. I. du Pont de Nemours and Company; Attn: Associate Director, Commercial Development; DuPont Experimental Station E268; 200 Powdermill Rd.; Wilmington, DE 19803; 1-877-881-9787 (voice), 1-302-695-1437 (fax), licensing@dupont.com.